



Direct Drive Turntable with Quartz Phase Locked Control

# SL-1000 MKII

## Operating instructions

**Technics**  
by **Panasonic**

If You Didn't Get This From My Site,  
Then It Was Stolen From...  
[www.SteamPoweredRadio.Com](http://www.SteamPoweredRadio.Com)

Read these instructions completely, before operating this set.

# The SL-1000 MKII Direct Drive Turntable aspires to the highest performance ever before obtainable from a Turntable.

Thank you for buying the Technics **SL-1000MKII** Direct Drive Turntable.

This unit has for its object to present really an ideal turntable through combination of the high performance Direct Drive Turntable **SP-10MKII** having numerous features which may seem unnecessarily luxurious for mere record reproduction purpose, the Variable Dynamic Damping Universal Tonearm **EPA-100** unique in Technics and capable of controlling to achieve optimum damping amount depending on the cartridge compliance, and the Turntable Base **SH-10B3** employing natural obsidian of high specific gravity and good vibration-damping characteristics. In order to derive optimum performance from this unit for continued enjoyment, please read carefully the enclosed operating instructions for correct usage.



## MAINTENANCE

The **SP-10MKII** has hairline finish for giving life to beautiful ground of die-cast aluminum. Therefore, using the unit in a damp place, in polluted air, near the sea or handling it with sweaty hands should preferably be avoided, since this may result in loss of luster or formation of rust. Be sure to wipe the unit with a soft, dry cloth once in a while for lasting attractive luster. Never use any cleaners containing thinner, benzine or the like.

## PLACEMENT

- Use the unit in a horizontal position and at a stable location, where there is little or no vibration.
- Use the unit as far away from the speakers as possible and isolate the unit from sound radiating from them.
- Do not place the unit where it is exposed to direct sunlight, dust, moisture or heat. Also keep it away from heating equipment.

## SPECIFICATIONS

Dimensions..... 56 × 46.5 × 17 cm (W × D × H)  
(22-1/16 × 18-5/16 × 6-11/16 inches)  
Weight ..... 26.2 kg (57.8 lbs)

**EPA-100**  
Universal Tonearm  
with Variable Dynamic Damping

**SH-10B3**  
Turntable Base

**SP-10MKII**  
Direct Drive Turntable  
with Quartz Phase locked Control

**SH-10E**  
Power Unit

**SH-10R**  
Remote Control Unit

**“Warning: To prevent fire or shock hazard,  
do not expose this appliance to rain or moisture.”**



Panasonic Company  
Division of Matsushita Electric  
Corporation of America  
One Panasonic Way, Secaucus,  
New Jersey 07094

Matsushita Electric of Hawaii, Inc.  
320 Waiakamilo Road, Honolulu,  
Hawaii 96817



If You Didn't Get This From My Site,  
Then It Was Stolen From...  
[www.SteamPoweredRadio.Com](http://www.SteamPoweredRadio.Com)